



## FRUITSET (SL)



### Composition:

ANA..... 0,45 %

ANA – AMIDA..... 1,2 %

**Product:** Phytoregulators Association which acts as a stimulant to the vegetative activity and to induce fruit set of flowers in various crops.

### Fruitset benefits:

- Vegetative and root development. Ensuring a good living.
- Induced flowering, pollination and fruit set. The basis for a high performance.
- Maturation and harvest.
- Protection against adverse conditions.



## Hormonal Product



CROP	DESCRIPTION	APPLY	DOSIS	TERM SAFETY
<b>Eggplant</b> <b>Zucchini</b> <b>Strawberry</b> <b>Green pea</b> <b>Green bean</b> <b>Green jewish</b> <b>Melon</b> <b>Cucumber</b> <b>Pepper</b> <b>Watermelon</b> <b>Tomato</b> <b>Plum</b> <b>Peach &amp; Nectarine</b>	To induce fruit set of flowers, apply 10-15 days before the onset of flowering according to the dose, if flowering is staggered to repeat treatment every 8-10 days.	Apply by normal spraying. Treat only plants in good health. Do not deal with very high temperatures because the dose should be reduced according to the manufacturer's instructions. The label will give you instructions for the proper use of the product as well as the warnings necessary for the farmer to ensure risks in different crops. Above 30 ° C should be used	60 cc/hl	30 days
<b>Horticultural plants</b> <b>Deciduous fruit tree</b> <b>Ornamental horticultural</b>	When applied after a growing crisis period, promotes vegetative activity.	40 cc / hl and in low-volume, 120 ml / ha.	60 cc/hl	30 days
<b>Pome fruit</b>	In order to prevent the fall of the fruit.		60 cc/hl	30 days

### Containers:

We serve our product in different packed. (If you are interested in another type of packaging do not hesitate to contact us)

\* 250 cc

\* 500 cc

\* 1 L

\* 5 L

\* 10 L

\* 20 L